

自动焊锡机送锡管型号说明



例：

TAL-0.8-650S60

TAL 送锡管型号

0.8 锡线直径 (mm)


650 送锡管长度 (mm)

S60 不锈钢管长度 (mm)


常用型号：

型号	点焊*	拖焊*
Terra, Luna, L-CAT EVO	TALO.3-450S60	TALO.3-450S90
	TALO.4-450S60	TALO.4-450S90
	TALO.5-650S60	TALO.5-650S90
	TALO.65-1000S60	TALO.65-1000S90
	TALO.8-1500S60	TALO.8-1500S90
	TAL 1.0-450S60	TAL 1.0650S90


* 以上所列出的送锡管长度仅供参考，客户可定制任意长度、任意直径的送锡管。建议细锡线使用较短的管。



Robotic Solder tube parts number



Example :
TAL-0.3-650N55
(0.3 is solder diameter mm)
(650 is total length mm)



TAL (尼龙头)




S60 (60 mm 不锈钢)



S90 (90 mm 不锈钢)






点焊头

组件 I: RS-P

适用钢管长度: S60 (60 mm)



拖焊头/ Line Solder Head

组件: RS-L

适用钢管长度 S90 (90 mm)

———联系信息———

广东拓利电子科技有限公司


联系人：黄新银

手机：13686891921

电话：0752-2689736/ 2689735

邮箱：info@gdtuoli.com

Robotic Solder Feed Tube Part Numbering



Example:

TAL-0.8-650S60

TAL is the tube model

(0.8 is solder diameter in mm)

(650 is total length in mm)

(S60 is stainless steel end length in mm)

Model Number	Point*	Slide*
Terra, Luna, L-CAT EVO	TAL0.3-450S60	TAL0.3-450S90
	TAL0.4-450S60	TAL0.4-450S90
	TAL0.5-650S60	TAL0.5-650S90
	TAL0.65-1000S60	TAL0.65-1000S90
	TAL0.8-1500S60	TAL0.8-1500S90
	TAL 1.0-450S60	TAL 1.0650S90

* The length of feed tube listed above is for example only. Any of the specified lengths can be ordered with any wire diameter. It is recommended to use shorter tube lengths with smaller wire diameters



TAL (nylon end)




S60 (60 mm stainless)

S90 (90 mm stainless)





Point Solder Head
Model: RS-P
Stainless End: S60 (60 mm)



Slide / Line Solder Head
Model: RS-L
Stainless End: S90 (90 mm)